

BLACK+ DECKER

TM

BLACK+ DECKER

TM

PRODUCT CATALOGUE
2015



Find us on



www.facebook.com/BlackandDeckerIndia

Follow us on



[@BlackandDeckerIndia](https://twitter.com/BlackandDeckerIndia)

Stanley Black & Decker India Limited

No.28 "Akemps", 3rd Main, 1st Cross, Ashwini Layout,
Koramangala Intermediate Ring Road, Bangalore - 560 047.
Tel: +91 80 66608800 Fax: +91 80 66608828.

Toll Free No. 1860 - 425 - 1111

Website : www.stanleyblackanddeckerindia.in
www.blackanddeckerindia.in


SAP Code - CAT-CPG0001



BLACK+DECKER™



1910 - Original Plant in Baltimore




1984 - Statue of Liberty



1951 - 100th Million Drill

1st PORTABLE DRILL



1914 PATENTED
THE WORLD'S FIRST PISTOL DRILL

DEMONSTRATIONS



1925

FLYING SHOWROOM




1929

PORTABILITY



1946 - World's 1st Consumer Drill

GARDENING




1957 - PORTABLE
ELECTRIC HEDGE TRIMMER

In 1909, two young entrepreneurs, S. Duncan Black and Alonzo G. Decker, founded a small machine shop in Baltimore, Maryland, USA. They called it 'Black & Decker Manufacturing Company'. Today, the shop is worth billions of dollars and much more than was ever imagined. Black & Decker emerged as a global marketer and manufacturer of quality products used in and around the home.

As a market driven company, Black & Decker is committed to building strong partnerships through end-user feedback to bring to the consumer the latest products of the highest quality. Black & Decker re-affirms its commitment through a full two-year warranty across all home products. A worldwide network of well-equipped and trained service centers backs this unique warranty across the world.

N.A.S.A.



1969
First drill on the moon

THE LEGACY

THE LEGACY

THE LEGACY

THE LEGACY

DRILLS
DRILLS
DRILLS
DRILLS
DRILLS
DRILLS

KR704REK - 13mm Hammer Drill



Specifications

Power Input	710 W
Chuck Size	13 mm
Speed	0-2,800 rpm
Impact Rate	0-47,600 bpm
Max Drill Capacity	
Wood	20 mm
Steel	13 mm
Masonry	13 mm



Hammer Drill

KR554RE - 13mm Hammer Drill



Specifications

Power Input	550 W
Chuck Size	13 mm
Speed	0-2,800 rpm
Impact Rate	0-47,600 bpm
Max Drill Capacity	
Wood	20 mm
Steel	13 mm
Masonry	13 mm



Hammer Drill

KR504RE - 10mm Hammer Drill



Specifications

Power Input	500 W
Chuck Size	10 mm
Speed	0-2,800 rpm
Impact Rate	0-47,600 bpm
Max Drill Capacity	
Wood	20 mm
Steel	10 mm
Masonry	10 mm



Hammer Drill

HD400 - 10mm Hammer Drill



Specifications

Power Input	500 W
Chuck Size	10 mm
Speed	2,800 rpm
Impact Rate	47,600 bpm
Max Drill Capacity	
Wood	20 mm
Steel	10 mm
Masonry	10 mm



Hammer Drill

EPC12K2 - 10mm Cordless Drill/Driver Kit



Specifications

Voltage	12 V
Bat.Type/ Amps	NiCd/ 1.2 Ah
Charging Time	3 hrs
Speed	0-750 rpm
Max. Torque	11Nm
Max. Drill Capacity	
Wood	25 mm
Steel	10 mm



Cordless Drill/Driver

Accessory Included: 4pcs HSS Drill Bits (1.5/3/4/5mm X1), Screwdrivers on bit bar (Hex: 2.5/3/4/5/6mm, PH:#1/2/3, SL:#8/#10), Magnetic Bit Holder, Standard Double Ended Bit

CD121K50 - 12V Cordless Drill/Driver Kit



Specifications

Voltage	12 V
Bat.Type/ Amps	Ni Cd/ 1.1 Ah
Charging Time	3 hrs
Speed	0-1200 rpm
Max. Drill Capacity	
Wood	15 mm
Steel	10 mm



Cordless Drill/Driver

HD5010VK9 - 10mm Hammer Drill with Kit



Accessories

Power Input	500 W
Chuck Size	10 mm
Speed	2,800 rpm
Impact Rate	47,600 bpm
Max Drill Capacity	
Wood	20 mm
Steel	10 mm
Masonry	10 mm

Kit Contents: 1 No. 226.8g Hammer, 1 No. Phillips Screwdriver, 1 No. Slotted Screwdriver, 1 No. 3m Measuring Tape, 3 Nos. Masonry Drill Bits, 2 Nos. Wood Drill Bits



Hammer Drill Kit

A7073 - Alkaline Battery Powered Screwdriver Kit



Specifications

Voltage	6 V
Battery Type	Alkaline

Contents

Single ended bit 14 pieces
AA Alkaline batteries 4 pieces



Cordless Screwdriver

KITS
KITS
KITS
KITS
KITS
KITS
KITS
KITS
KITS
KITS

METAL WORKING

G720R - 100mm Small Angle Grinder



Specifications	
Power Input	820 W
Speed	11,000 rpm
Spindle Size	M 10
Spindle Lock	Yes
Lock on/off Switch	Yes
Switch Type	Slider
Configuration	Body Grip



Small Angle Grinder

CS1500 - 185mm Circular Saw



Specifications	
Power Input	1500 W
Speed	Variable
Depth of Cut	63mm
Blade Size	185 x 20mm
Bevel Cut	0-450
TCT Blade	40T X 2



Circular Saw

KS900EKX - Pendulum Jigsaw with Kit



Specifications	
Power Input	600 W
Strokes	800-3000 / min
Depth of Cut	
Wood	85mm
Steel	5mm
Aluminium	10mm
Soft Grip	Yes
Speed	Variable
Free Blades	3 + 10



Pendulum Jigsaw

KS700PE -Variable Speed Pendulum Jigsaw



Specifications	
Power Input	480 W
Strokes per min.	0-3,000 spm
Depth of Cut	
Wood	60 mm
Steel	5 mm
Aluminium	10 mm
Bevel Cut	0-45°
Pendulum Action	Yes



Pendulum Jigsaw

WOOD WORKING

WOOD WORKING

KS600E - Variable Speed Jigsaw



Specifications	
Power Input	450 W
Strokes per min.	0-3,000 spm
Depth of Cut	
Wood	60 mm
Steel	5 mm
Aluminum	10 mm
Bevel Cut	0-45°
Pendulum	No



Variable Speed Jigsaw

KW900EKA - Plunge Router



Specifications	
Power Input	1200 W
Variable Speed	8,000-28,000 rpm
Plunge Depth	55 mm
Max. Cutter Dia.	38 mm
Collet Size	6, 6.35, 8 mm



Plunge Router

KW712 - Rebating Planer



Specifications	
Power Input	650 W
Speed	17,000 rpm
Depth of Cut	0-2 mm
Width of Cut	82 mm
Planing Width	82 mm
Rebating Depth	8 mm
Blade Type	TC Reversible Blade



Rebating Planer

KA400 - 1/4 Sheet Sander



Specifications	
Power Input	220 W
Speed	15,000 opm
Excentricity	0.8 mm
Orbit Dia.	1.6 mm
Paper Size	114 x 114 mm
Platen Size	113.5 x 109 mm
Dust Extraction	Dust Bag



Sheet Sander

WOOD WORKING

WOOD WORKING

WOOD WORKING

KX1800 - 1800 W Heat Gun



Specifications

Power Input	1800 W
Voltage	220-240 V
Style	Pistol
Two Heat Setting	300° / 580° C
Airflow	500/ 650 L/min.
Cable Length	2 M



Heat Gun

AV1205 - 12V DC Car Vacuum Cleaner



Specifications

Input Voltage	12 V
Bowl Capacity	402ml
Runtime	30 mins
Cable Length	5 m



Car Vacuum Cleaner

ACV1205 - 12V DC Cyclonic Car Vacuum Cleaner



Specifications

Input Voltage	12 V
Bowl Capacity	700ml
Runtime	30 mins
Cable Length	5 m
Motor Type	Cyclonic Action

Accessory Included: Flexible Hose, Brush, Crevice Tool, Extended Crevice Tool, Storage Bag



Car Vacuum Cleaner

KP1200 - Car Polisher



Specifications

Power Input	120 W
No Load Speed	3200 / min
Polishing Motion	Random Orbit
Platen Dia.	255mm / 10"
Cable Length	2 M
Net Weight	2.8 kg



Car Polisher

WV1400 - 1800W Wet & Dry Vacuum Cleaner



Specifications

Power Input	1800W
Capacity	11 litre (wet) 16 litre (dry)
Runtime	30 mins
Cable Length	5m



Vacuum Cleaners

BDPR400 - Rapid Paint Roller



Specifications

3 Position Pivoting Roller
Up to the edge cutting an access
in tight locations 0°, 40° & 80°

Easy fill System

Exact fill tube location every time
Visual identification when properly seated
center of lid location = 360° fill

Kick Stand

Temporary rest, keeps lid, floor, area cleaner



Paint Roller

PW2100SPB- 140 bar Pressure Washer



Standard Accessories - Gun, Hose Length 8m,
Spray Lance Vario, Detergent Bottle

Included Extra Value Accessories



Rotopower Turbo Nozzle



High performance Awater Inlet Filter



Rubber tread wheels



Steel Armoured High Pressure Hose

TSS

Total Stop System



Pressure Washer

PW1700SPX - 130 bar Pressure Washer



Standard Accessories - Gun, Hose Length 5m,
Spray Lance Vario, Detergent Bott



Built-in accessories holder

Washing Brush

Rotopower Turbo Nozzle

HP hose reel

HP hose reel with locking system

TSS

Total Stop System



Pressure Washer

PW1500SP - 120 bar Pressure Washer



Standard Accessories - Gun, Hose Length 5m ,
Spray Lance Vario, Detergent Bott



Accessories

Specifications

Power Input	1500 W
Max Pressure	120 bar
Water Flow Rate	380 l/h
Motor Type	Universal
Hose Material	Durable Thermoplastic
Detergent Bottle	Present

Included Extra Value Accessories



RotoPower Turbo Nozzle

TSS
Total Stop System



Built-in accessories holder



Soft grip handle
Rubber tread
wheels



High performance
water inlet filter



Pressure Washer

PW1570TD - 120 bar Pressure Washer



Standard Accessories - Gun, Hose Length 5m ,
Spray Lance Vario, Detergent Bott

Specifications

Power Input	1500 W
Max Pressure	120 bar
Water Flow Rate	370 l/h
Motor Type	Universal
Hose Material	Durable Thermoplastic
Detergent Bottle	Present

Included Extra Value Accessories



RotoPower Turbo Nozzle

TSS
Total Stop System



Built-in accessories holder



Soft grip handle
Rubber tread
wheels



High performance
water inlet filter



Pressure Washer

PW1300C - 110 bar Pressure Washer



Standard Accessories - Gun, Hose Length 5m ,
Spray Lance Vario, Detergent Bott

Specifications

Power Input	1300 W
Max Pressure	110 bar
Water Flow Rate	360 l/h
Motor Type	Universal
Hose Material	Durable Thermoplastic
Detergent Bottle	Present



a) Square Former Kit
design to fit the shape
of the unit



d) Click-fit gun holder
e) 2 Lances stored inside
the machine



f) Wall storage kit
supplied std



Aluminum pump

Accessories



Pressure Washer

PW1370TD - 100 bar Pressure Washer



Standard Accessories - Gun, Hose Length 5m ,
Spray Lance Vario, Detergent Bottle

Specifications

Power Input	1300 W
Max Pressure	100 bar
Water Flow Rate	360 l/h
Motor Type	Universal
Hose Material	Durable Thermoplastic
Detergent Bottle	Present

TSS
Total Stop System



Built-in
accessories
holder



Soft-grip handle
Rubber tread
wheels



Pressure Washer

PW1200 - 90 bar Pressure Washer



Standard Accessories - Gun, Hose Length 5m ,
Spray Lance Vario, Detergent Bottle

TSS
Total Stop System



Built-in
accessories
holder



Special Water Inlet Filter -
Transparent filter increases
pump life whilst easy to clean



Pressure Washer

Pressure Washer Accessories



PB01-JP
Patio Cleaner



PCU01-JP
7.5 m Pipe Cleaning Unit



PFB01-JP
Fixed Brush



PEH01-JP
8m Extension Hose



PRB01-JP
Rotary Brush



PHS01-JP
Hose Supply Set



PRL01-JP
Rotary Lance



PAN01-JP
Angle Nozzle

ACCESSORY COMPATIBILITY CHART

ACCESSORY	PW1200	PW1370TD	PW1300C	PW1570TD	PW1500SP	PW1700SPX	PW2100SPB
Patio Cleaner	Yes	Yes	Yes	Yes	Yes	Yes	Yes (Brass Adapter to be added from Bayonet to Screw connection)  1004553-11
7.5 M Pipe Drain Kit	Yes	Yes	Yes	Yes	Yes	Yes	Yes (Brass Adapter to be added from Bayonet to Screw connection)  1004553-11
8 M HP Extension Hose	No	No	No	Yes	Yes	Yes	Yes
Fixed Brush	Yes	Yes	Yes	Yes	Yes	Yes	Yes (Plastic Adapter to be added from Bayonet to Screw connection)  1004553-12
Rotary Brush	Yes	Yes	Yes	Yes	Yes	Yes	Yes (Plastic Adapter to be added from Bayonet to Screw connection)  1004553-12
Hose Supply Set	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Rotary Lance	Yes	Yes	Yes	Yes	Yes	Yes	Yes (Brass Adapter to be added from Bayonet to Screw connection)  1004553-11